



# Maharashtra Pollution Control Board

## महाराष्ट्र प्रदूषण नियंत्रण मंडळ

### Form - IV

(See rule 13)

Bio Medical Waste Annual Return for the Calender Year - 2025

<b>Application Type:</b> Industry	<b>Calender Year</b> 2025	Submit To SRO-Raigad II
<b>1) Particulars</b>		
<b>i) First Name</b> Sreekanth	<b>ii) Middle Name</b> Raghavendra Rao	<b>iii) Last Name</b> Kandi
<b>iv) Designation</b> Head OPN - Bhira Hydro Generating Station	<b>v) Aadhaar No</b> 123456789012	<b>vi) PAN No</b> ARIPS1270R
<b>vii) Address as per Aadhaar Card</b> The Tata Power Company Limited, P O Bhira, Mangaon, Dist. Raigad 402 308, Maharashtra,	<b>viii) Tel. No.</b> 8149098881	<b>ix) Fax No.</b>
<b>x) e-mail</b> skkandi@tatapower.com	<b>xi) URL of website</b> www.tatapower.com	
<b>2) Details of the Industry</b>		
<b>i) Name of the Industry</b> The Tata Power Company Limited	<b>ii) Email</b> aakonnur@tatapower.com	<b>iii) Name of the contact person</b> Ajay Konnur
<b>iv) Contact No.</b> 9223550041		
<b>3) Address of the Industry</b>		
<b>i) Building Name/Building No./Survey Number</b> The Tata Power Company Limited, Bhira Generating Station	<b>ii) Street / Village</b> Bhira	<b>iii) City / Taluka</b> Mangaon
<b>iv) District</b> Raigad	<b>v) Pin-Code Number</b> 402308	<b>vi) Near by Landmark</b>
<b>vii) Latitude coordinate</b> 184545	<b>viii) Longitude coordinate</b> 733909	<b>ix) Ownership</b> Private
<b>Details of valid Combined Consent and BMW Authorization (CCA)</b>		
<b>i) Authorization No.</b> MPCB-BMW_AUTH-0000050620	<b>ii) Authorization validity Date</b> Jan 30 2027 12:00:00:AM	
<b>5) Status of Consents under Water Act and Air Act</b>		
<b>i) Consent Number</b> Format1.0/CAC/UANNo.0000169386/CR/230700096 7	<b>ii) Consent validity Date</b> Aug 31 2028 12:00:00:AM	
<b>6) Total No of Beds (As per valid Authorization)</b>		
<b>7) Registration Number (e.g. Bombay Nursing Home reg. no.,MSDC,MBTC)</b>		0000
<b>8) Registration Expiry Date</b>		Jan 30 2027 12:00:00:AM
<b>9) Faculty of Medicine</b> Medical		
<b>10) Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of</b> Maharashtra Bio-Hygenic Management, Chiplun		

**11) Details of BMW****i) Authorized BMW Quantity Kg/month (as per valid CCA)**

<b>Yellow</b> 1.00000	<b>Red</b> 0.50000	<b>Blue</b> 0.50000	<b>White</b> 0.50000
-----------------------	--------------------	---------------------	----------------------

**ii) Bio Medical Waste Generated (Kg/month)**

<b>Yellow</b> 0.59800	<b>Red</b> 0.50000	<b>Blue</b> 0.34000	<b>White</b>
-----------------------	--------------------	---------------------	--------------

**iii) Quantity of Biomedical waste given to CBMWTFD (kg/Month)**

<b>Yellow</b> 0.5980	<b>Red</b> 0.5000	<b>Blue</b> 0.3400	<b>White</b>	<b>General Solid Waste</b> 1.0000
----------------------	-------------------	--------------------	--------------	-----------------------------------

**12) Details trainings conducted on BMW****i) Number of trainings conducted on BMW Management.**

2

**ii) Number of personnel trained**

4

**iii) Number of personnel trained at the time of induction**

4

**iv) number of personnel not undergone any training so far****v) whether standard manual for training is available?**

Yes

**vi) any other information**

BMW Rules 2016

**13) Details of the accident occurred during the year****i) Number of Accidents occurred****ii) Number of the persons affected****iii) Remedial Action taken (Please attach details if any)**

No

**iv) Any Fatality occurred, If yes details.**

No

**14) Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?**

Yes

**15) Is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?**

Yes

**17) Whether HCE intended to Sale / Handover liquid BMW for R&D purpose**

No

<b>Place</b> Bhira	<b>Designation</b> Group Head	<b>Date</b> 28-03-2026
-----------------------	----------------------------------	---------------------------