

# Corrigendum 2

## NOTICE INVITING TENDER

**The Tata Power Company Limited Invites Tenders** (Two-Part Bidding Process), from interested and eligible Vendors for the following work.

**Corrigendum to Tender issued vide advertisement published dated 19th June 2026**

### **A. Summary of the tendered packages:**

| Sr. No. | Description                                                                       | Tender Reference no. | Bid Guarantee Fee / EMD (Rs.) | Tender Fee (Rs.) |
|---------|-----------------------------------------------------------------------------------|----------------------|-------------------------------|------------------|
| 1.      | CC27SB011_Replacement of Precast cover and other fabrication works at Trombay RS. | CC27SB011            | 30,000/-                      | 2,000 /-         |

**Please note, above is a Corrigendum to the Tender CC27SB011 advertised on 19th June 2026. The bidders who have already participated in the Tender shall be retained as “participant” & they shall not be required to participate again by submitting the Tender Fee of INR 2,000 /-.**

For additional technical details and Pre-qualification criteria for the subject works please refer section C below.

### **B. Guidelines for Participating:**

Interested and eligible vendors can participate by submitting the following up to 15.00 PM on **Saturday, 1st Aug 2026**.

1. Payment of non-refundable Tender Fee, as indicated in table above to be paid by direct deposit in following bank account

Beneficiary Name – The Tata Power Co. Ltd.

Bank Name – HDFC Bank Ltd.

Branch Name – Fort Branch, Mumbai

Address – Maneckji Wadia Building, Nanik Motwani Marg, Fort, Mumbai 400023.

Branch Code – 60

Bank & Branch Code – 400240015

Account No – 00600110000763

Account type – CC

IFSC Code – HDFC0000060

2. Submission of duly signed and stamped Authorization Letter indicating name of authorized person, contact number and e-mail id (mandatory) on Vendor's letterhead. The letter shall also mandatorily include payment details of Tender fee and Tender Reference no **CC27SB011**

E-mail with necessary attachment of 1 and 2 above to be send to [shrushti.bhujbal@tatapower.com](mailto:shrushti.bhujbal@tatapower.com) with copy to [vivek.mittal@tatapower.com](mailto:vivek.mittal@tatapower.com)

before "Last date and time for Payment of Tender Participation Fee"

**Note:** - Once the above-mentioned documents are received, detailed RFP shall be issued through our e-tender system.

3. It is clarified that Bid Guarantee/EMD as mentioned in section "A" above, is not required to be submitted at this stage, and it will be required to be submitted in the form of Bank guarantee at the time of Bid Submission.

**C. Corrigendum –**

**This corrigendum has been issued for Change in Pre-qualification Criteria (Commercial Capability)**

**Revised commercial PQR Criteria:**

| Clause                                                                | Previous Commercial PQR                                                                                                   | Revised Commercial PQR                                                                                                  |
|-----------------------------------------------------------------------|---------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------------------------------------------|
| <b>C.1 Pre-qualification Criteria.<br/><br/>Commercial Capability</b> | Average annual turnover of the Vendor for last Three financial years shall not be less than Rs. 30 lakhs for Civil works. | Average annual turnover of the Vendor for last two financial years shall not be less than Rs. 30 lakhs for Civil works. |

Except above all other terms & conditions of the original tender document shall remain same.

It may be noted that all future correspondence will be strictly done only with Interested Vendors who have done the above steps (As mentioned in section "B") in time, and only through Tata Power E-tender system.

|                                                                                                                                                                                                                                                                                                                                           |                       |                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                           |                                                      |                                                                                     |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------|-------------------------------------------------------------------------------------|
| FORMAT C.1                                                                                                                                                                                                                                                                                                                                |                       |                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                           |                                                      |                                                                                     |
| Technical Pre-Qualification Requirement and Submission Format                                                                                                                                                                                                                                                                             |                       |                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                           |                                                      |                                                                                     |
| Tender No                                                                                                                                                                                                                                                                                                                                 |                       |                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                           |                                                      |                                                                                     |
| Package Name                                                                                                                                                                                                                                                                                                                              |                       | Replacement of Precast cover and other fabrication works at Trombay RS.                                                                                                                                                                                                       |                                                                                                                                                                                                           |                                                      |                                                                                     |
| Bidder :                                                                                                                                                                                                                                                                                                                                  |                       |                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                           |                                                      |                                                                                     |
| Note :                                                                                                                                                                                                                                                                                                                                    |                       | Vendor Submission / claim without suitable backup document will not be accepted and Bid is Liable for Rejection                                                                                                                                                               |                                                                                                                                                                                                           |                                                      |                                                                                     |
|                                                                                                                                                                                                                                                                                                                                           |                       | This format duly filled in editable Excel format has to be uploaded as Bid Submission with all relevant Backup Document                                                                                                                                                       |                                                                                                                                                                                                           |                                                      |                                                                                     |
|                                                                                                                                                                                                                                                                                                                                           |                       |                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                           |                                                      |                                                                                     |
|                                                                                                                                                                                                                                                                                                                                           |                       |                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                           |                                                      |                                                                                     |
| Package Description: Replacement of Precast cover and other fabrication works at Trombay RS.                                                                                                                                                                                                                                              |                       |                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                           |                                                      |                                                                                     |
| Tender Reference No - CC27S8011                                                                                                                                                                                                                                                                                                           |                       |                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                           |                                                      |                                                                                     |
| Pre - Qualification Requirement (PQR) - Please note that the PQR is for information only and the documentary evidence to ascertain meeting of the requirement has to be submitted along with the bid and not along with the tender fee                                                                                                    |                       |                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                           |                                                      |                                                                                     |
|                                                                                                                                                                                                                                                                                                                                           |                       |                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                           | To be filled up by Vendor                            |                                                                                     |
| Sr No                                                                                                                                                                                                                                                                                                                                     | Parameter             | Tata Power Requirement                                                                                                                                                                                                                                                        | Documents to be submitted by vendor to ascertain meeting of Pre-Qualification Requirement                                                                                                                 | Vendor Submission against Tata Power PQR Requirement | Documents submitted by Vendor to ascertain meeting of Pre-Qualification Requirement |
| 1                                                                                                                                                                                                                                                                                                                                         | 2                     | 3                                                                                                                                                                                                                                                                             | 4                                                                                                                                                                                                         | 5                                                    | 6                                                                                   |
| (A)                                                                                                                                                                                                                                                                                                                                       | Experience            | The bidder should have experience in the replacement of precast covers and execution of fabrication works in industrial, utility, power, oil & gas, or infrastructure facilities. The bidder shall have successfully completed similar works during the last <b>One year.</b> | Bidder to submit credentials for supporting the noted criteria. Owner has the right to reject the bid in case it is observed that the Bidder does not meet the relevant experience for the subject works  |                                                      |                                                                                     |
| (B)                                                                                                                                                                                                                                                                                                                                       | ISO Certifications    | Bidder should possess ISO-9001, ISO-14001 and OHSAS-18001 / ISO-45001 Certification or they must give an undertaking for its willingness to obtain the same within 2 months of award of the work.                                                                             | Bidder to submit credentials for supporting the noted criteria. Owner has the right to reject the bid in case it is observed that the Bidder does not meet the relevant experience for the subject works. |                                                      |                                                                                     |
| (C)                                                                                                                                                                                                                                                                                                                                       | Commercial Capability | Average annual turnover of the Vendor for last two financial years shall not be less than <b>Rs. 30 lakhs</b> for Civil works.                                                                                                                                                | Profit and Loss Statements, Balance Sheets for the Three (3) preceding financial years duly audited and approved by Authorized Audit Firm / CA.                                                           |                                                      |                                                                                     |
| <b>NOTE:</b> In case the bidder has a previous association with any of Tata Power Group companies for similar products and services, the performance feedback of the bidder by the Tata Power Group companies shall only be considered for evaluation purpose, irrespective of performance certificates issued by any third organization. |                       |                                                                                                                                                                                                                                                                               |                                                                                                                                                                                                           |                                                      |                                                                                     |

**BOQ\_CC27SB011\_Replacement of Precast cover and other fabrication works at Trombay RS.**

| Sr No | Item                                | Item Description                                                                                                                                                                                                                                                                                                                                                                                                                   | Quantity | Unit |
|-------|-------------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------|------|
| 1     | Prov. Cartage services              | Providing cartage service & transporting, excavated soil, debris, bricks, concrete, dry garbage etc.and disposing off to municipal corporation area approved dumping sites outside premises incl submission of relevant documents. Note: measurement will be made on truck measurement.                                                                                                                                            | 55.00    | M3   |
| 2     | Dismantling structural steel        | Providing all necessary tools tackles & services for dismantling structural steel sections i.e. Angles / channels / beams / plates etc (not inclusive of ferrana / crane) & returning the same to nearest tata power stores or designated place etc complete as directed                                                                                                                                                           | 2.00     | MT   |
| 3     | Removing chainlink fencing          | Providing services for removal of chain-link fencing including handing over the salvaged material to tata power stores with proper documentation after completion of the job, including providing & erecting necessary steel tubular scaffolding (up to 2 meter) as per the tata power standards etc. Complete as directed. rate shall inclusive of providing necessary tools tackles, cutting set, welding set wherever required. | 240      | M2   |
| 4     | Removing Barbed wire                | Providing services for removal of Barbed wire including handing over the salvaged material to tata power stores with proper documentation after completion of the job, including providing & erecting necessary steel tubular scaffolding (up to 2 meter) as per the tata power standards etc. Complete as directed. rate shall inclusive of providing necessary tools tackles, cutting set, welding set wherever required.        | 100      | M    |
| 5     | Removing concertina coil            | Providing services for removal of concertina coil including handing over the salvaged material to tata power stores with proper documentation after completion of the job, including providing & erecting necessary steel tubular scaffolding (up to 2 meter) as per the tata power standards etc. Complete as directed. rate shall inclusive of providing necessary tools tackles, cutting set, welding set wherever required.    | 100      | M    |
| 6     | REMOVING OF AC/GI/FRP SHEET         | Providing all necessary tools tackles & services for removing old AC / GI / FRP sheets from existing shed or boundary & returning to the tata power stores etc complete as directed                                                                                                                                                                                                                                                | 100      | M2   |
| 7     | Replacement of trench cover         | Prov. Services for removal of existing trench cover and laying new trench cover, rate shall be inclusive of man, material, tools for replacement of trench cover but excluding of casting trench cover                                                                                                                                                                                                                             | 100      | EA   |
| 8     | Prvov. & const. Brick masonry 230mm | Providing all material and constructing brick masonry 230mm. Thick and above in cement mortar (1:5) using approved quality class 35 conforming to IS 1077 : 1992 table molded bricks, including scaffolding, curing, raking joints, etc. Complete as per specifications & drawings at all levels & locations.                                                                                                                      | 4        | M3   |
| 9     | P/A external plaster 20mm           | Providing all materials and carrying out sand faced plaster 20 mm thick in two layers (first layer of 14 mm and second layer of 6 mm thickness) with waterproofing compound. Including bands drip molds in cement mortar 1:4 including scaffolding (the rates shall include provision for chicken mesh 230 mm wide at the junction of masonry with RCC).                                                                           | 50       | M2   |

|    |                                     |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                     |     |    |
|----|-------------------------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 10 | Fab & Erect Structural Steel Work   | Fab & erection all types of mild steel, work at all height including scaffolding (upto 2 m), welding and gas cutting, drilling of hole, contractor shall use his own welding set, gas cutting set, gas, welding electrode, drill machine, required for carrying out the entire work, the rate shall include supply and fixing of mild steel bolt, nut, washer and applying one coat approved primer & 2 coat of approved synthetic enamel paint to all the exposed surfaces of steel (excluding chequered plate)    | 2   | MT |
| 11 | Prov./ Supply /Fab structural steel | Providing & fabricating & erecting all types of structural steel, work at all height incl. scaffolding (upto 2 meter), welding & gas cutting, drilling of hole, with own welding set, gas cutting set, gas, approved quality of welding electrode, drill machine, required for carrying out work, the rate shall include supply & fixing of mild steel bolt, nut, washer & applying one coat of primer & 2 coats of approved synthetic enamel paint to all the exposed surfaces of steel(excluding chequered plate) | 10  | MT |
| 12 | P/F MS Chequered Plate - 8 mm       | Providing & fabricating & placing MS chequered plate - 8 mm thick, welding & gas cutting, drilling of hole, with own welding set, gas cutting set, gas, approved quality of welding electrode, drill machine, required for carrying out the entire work, the rate shall include supply & fixing of mild steel bolt, nut, washer & applying one coat of shalimar or any other approved make red oxide (primer) paint & two coat of approved synthetic enamel paint to all the exposed surfaces of steel              | 15  | M2 |
| 13 | P/F/E Al Chequered Plate 8 mm       | Providing & fixing aluminum chequered plate of 8 mm thick with lifting arrangement cut provided as directed by EIC,                                                                                                                                                                                                                                                                                                                                                                                                 | 10  | M2 |
| 14 | P/F/E GI Tubular Handrail 2 Rail    | Supplying, fabricating & erecting C class GI tubular h&railing of 32 mm dia. Nb medium class, consisting of double GI rail with top GI rail 1 mtr above floor level, mid rail at 600 mm from floor & pipe post including its own connecting plate at bottom spaced at not more than 2 mtrs with all necessary bends, GI tee joints, GI fixtures, GI fittings, 100 mm x 6 mm toe guard including applying one coat of primer & two coats of synthetic enamel excluding anchor fastener as directed by engineer       | 25  | M  |
| 15 | P/F/E MS Gate - Chainlink           | Providing & fabrication of MS gate in single / double leaf with ISA 65 x 65 x 6 mm angle frame, both side MS flat of 10 mm x 6 mm to hold chainlink, 9 gauge chainlink within frame and painted by 2 coats of synthetic enamel preceded by red oxide primer, including hinges, MS aldrop, welding, gas cutting, shifting with 200 meter lead                                                                                                                                                                        | 10  | M2 |
| 16 | Serv. for Stretching barbed wire    | Providing Services for stretching barbed wire at all height, rate shall be inclusive of man, scaffolding up to 2 m, split pin of 16 gauge, shifting chain link within 200 m lead and stretching tools so as to complete the job                                                                                                                                                                                                                                                                                     | 100 | M  |
| 17 | P/S GI chainlink fencing- 8 gauge   | Providing & stretching GI chain link fencing of 8 gauge at all height, rate shall be inclusive of man, material, split pin, making hole in angle to receive pin, scaffolding up to 4 meter, including one coat of zinc primer and followed by two coats of synthetic enamel paint                                                                                                                                                                                                                                   | 250 |    |

|    |                                  |                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                                    |     |    |
|----|----------------------------------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|----|
| 18 | P/F galvalume sheet 0.5 mm thick | Providing, placing & fixing profile pre-color coated galvalume sheets or equivalent of 0.50mm total coat thickness to match existing shade (bare galvalume thickness 0.47mm), trough type, zinc aluminum alloy coated (zinc aluminum coating not less than 150g/sqm ), MS high tensile sheet having minimum yield strength of 550mpa including silicon modified polyester (SMP) coating of DFT 20 microns over 5 microns primer on exposed surface of sheeting & SMP coating of DFT 5 microns over 5 micron primer | 100 | M2 |
| 19 | P/F Scaffolding at all Height    | Providing and fixing of tubular h-frame scaffolding/ pipe coupling / modular cup lock scaffolding, material: steel, as per Tata power standards including covering it externally with nylon net and dismantling the same after completion of work, scaffolding material shall be in healthy condition and inspected before use by scaffolding inspector, additional information: payment will be made as per area of elevation                                                                                     | 200 | M3 |