

Corrigendum 1

NOTICE INVITING TENDER

The Tata Power Company Limited Invites Tenders (Two-Part Bidding Process), from interested and eligible Vendors for the following work.

Corrigendum to Tender issued vide advertisement published dated 19th November 2025

A. Summary of the tendered packages:

Sr. No.	Description	Tender Reference no.	Bid Guarantee Fee / EMD (Rs.)	Tender Fee (Rs.)
1.	CC26SB016_Reinstatement of Road damaged during construction of 22Kv GIS, Mankhurd.	CC26SB016	40,000/-	2,000 /-

Please note, above is a Corrigendum to the Tender CC26SB016 advertised on 06th January 2026. The bidders who have already participated in the Tender shall be retained as “participant” & they shall not be required to participate again by submitting the Tender Fee of INR 2,000 /-.

For additional technical details and Pre-qualification criteria for the subject works please refer section C below.

B. Guidelines for Participating:

Interested and eligible vendors can participate by submitting the following up to 11.00 AM on **Monday, 19th January 2026.**

1. Payment of non-refundable Tender Fee, as indicated in table above to be paid by direct deposit in following bank account

Beneficiary Name – The Tata Power Co. Ltd.

Bank Name – HDFC Bank Ltd.

Branch Name – Fort Branch, Mumbai

Address – Maneckji Wadia Building, Nanik Motwani Marg, Fort, Mumbai 400023.

Branch Code – 60

Bank & Branch Code – 400240015

Account No – 00600110000763

Account type – CC

IFSC Code – HDFC0000060

2. Submission of duly signed and stamped Authorization Letter indicating name of authorized person, contact number and e-mail id (mandatory) on Vendor's letterhead. The letter shall also mandatorily include payment details of Tender fee and Tender Reference no **CC26SB016.**

E-mail with necessary attachment of 1 and 2 above to be send to shrushti.bhujbal@tatapower.com with copy to vivek.mittal@tatapower.com

before “Last date and time for Payment of Tender Participation Fee”

Note: - Once the above-mentioned documents are received, detailed RFP shall be issued through our e-tender system.

3. It is clarified that Bid Guarantee/EMD as mentioned in section “A” above, is not required to be submitted at this stage, and it will be required to be submitted in the form of Bank guarantee at the time of Bid Submission.

C. Corrigendum –

This corrigendum has been issued for Change in Pre-qualification Criteria (Commercial Capability)

Revised commercial PQR Criteria:

Clause	Previous Commercial PQR	Revised Commercial PQR
C.1 Pre-qualification Criteria. Commercial Capability	Average annual turnover of the Vendor for last two financial years shall not be less than Rs. 50 lakhs for Civil works during last three years.	Average annual turnover of the Vendor for last three financial years shall not be less than Rs. 50 Lakh.

Except above all other terms & conditions of the original tender document shall remain same.

It may be noted that all future correspondence will be strictly done only with Interested Vendors who have done the above steps (As mentioned in section “B”) in time, and only through Tata Power E-tender system.

FORMAT C.1					
Technical Pre-Qualification Requirement and Submission Format					
Tender No					
Package Name Reinstatement of Road damaged during construction of 22Kv GIS					
Bidder :					
Note : Vendor Submission / claim without suitable backup document will not be accepted and Bid is Liable for Rejection					
This format duly filled in editable Excel format has to be uploaded as Bid Submission with all relevant Backup Document					
Package Description: Reinstatement of Road damaged during construction of 22Kv GIS					
Tender Reference No -					
Pre - Qualification Requirement (PQR) - Please note that the PQR is for information only and the documentary evidence to ascertain meeting of the requirement has to be submitted along with the bid and not along with the tender fee					
					To be filled up by Vendor
Sr No	Parameter	Tata Power Requirement	Documents to be submitted by vendor to ascertain meeting of Pre-Qualification Requirement	Vendor Submission against Tata Power PQR Requirement	Documents submitted by Vendor to ascertain meeting of Pre-Qualification Requirement
1	2	3	4	5	6
(A)	Experience	1. Bidder along with selected sub vendors should have minimum 05 years' experience of civil works such as Civil maintenance works, Bitumen Road works, Concrete Road works. Selected sub vendors (if any) will be subject to approval of Tata Power. 2. Bidder must have experience of successfully completing a minimum of following civil works during the past 5 years as on the date of bid opening. • Minimum 5-7 years of experience as a contractor in road / infrastructure works.	Bidder to submit credentials for supporting the noted criteria. Owner has the right to reject the bid in case it is observed that the Bidder does not meet the relevant experience for the subject works	PO Details	PO Details
		• List of machinery • List of staff (engineers, safety engineers, supervisors) • Experience certificate issued by Agencies. • Certified scaffolders and material. 3. In case the bidder has a previous association with any of Tata Power Group companies for similar products and services, the performance feedback of the bidder by the Tata Power Group companies shall only be considered for evaluation purpose, irrespective of performance certificates issued by any third organization.	Bidder to submit supporting documents		
(B)	ISO Certifications	Bidder should possess ISO-9001, ISO-14001 and OHSAS-18001 / ISO-45001 Certification or they should provide an undertaking that they will obtain these certifications for their organization if the work is awarded to them.	Bidder to submit credentials for supporting the noted criteria. Owner has the right to reject the bid in case it is observed that the Bidder does not meet the relevant experience for the subject works.	ISO certificates	ISO certificates
(C)	Commercial Capability	Average annual turnover of the Vendor for last three financial years shall not be less than Rs. 50 Lakh.	Profit and Loss Statements, Balance Sheet, Cash Flow Statements for the Three (3) preceding financial years duly audited and approved by Authorized Audit Firm / CA.		

In case the bidder has a previous association with any of Tata Power Group companies for similar products and services, the performance feedback of the bidder by the Tata Power Group companies shall only be considered for evaluation purpose, irrespective of performance certificates issued by any third organization.

BOQ_CC26SB016_Quotation for Road works at mankurd

Sr .No	Short text	Long text	Quantity	Unit
1	CISE,SCRAPING BITUMINOUS SURFACE	CISE,Scraping: Scraping Up to 60mm to 100 mm depth single pass bituminous road surface by using milling machine/JCB etc. including disposal of scraping milled materials in MCGM approved dumping yard or as directed etc. complete. Note: For further passes of 60mm or part there of same rate will be applicable.	1500	M2
2	CISE, Pot hole filling	CISE, Providing and laying Bituminous Macadam 50 mm thick in pot holes including Prime Coat with specified graded stone aggregate for Leveling course including loading of aggregates with F.E. loader and hot mixing of bitumen filler @ 3.5% with aggregates in hot mix plant transporting the mixed material with tipper to pavers and laying with sensor pavers finisher to the required level, grades, and rolling with 8 - 10 T smooth wheeled tandem type	950	M2
3	Excavation	CISE,EXCAVATION FROM 0 TO 0.5 M CISE, Excavation for foundation, trenches, pits, paver blocks, etc. (0 to 0.5 m) Excavation for foundations, trenches pits etc. in ordinary soil mixed with boulders of max. dia. 600mm, including removal of vegetation, shoring, strutting, dewatering wherever necessary etc. complete. including shifting and stacking excavated material within an initial lead of 100 m, and then removal and disposing off excavated earth in MCGM / MBMC approved dumping areas (Measurements shall be based on plan dimensions of PCC. No additional payment will be made for slopes, working area, shoring, etc.)	100	Cum
4	GSB	CISE,PROV & LAY CRUSHED STONE SUB BASE C CISE,GSB:Providing & laying, spreading & compacting specified crushed stone ingranular subbase course including premixing the material in mechanical mixer (pug) will carriage of mixed material laying in uniform layer of 100mm(compactd thickness each) with motor grader onprepared murum surface & compacting with 10 tonne vibratory roller toachieve desired density including all material, labour, machinery, lighing barricating to all lifts & lead maintenance of diversion etc.complete (metal gradation from 90mm to 75mm micron as per MCGM RoadSpecifications clause no.210).	50	Cum
5	WMM	CISE,PROV & LAYING WET MIX MACADAM CISE, Providing and laying compacted Wet Mix Maccadam course as per mix design (MORTH) and consisting of hard quality metal 30% of size 40mm, metal 25% of size 20mm, metal 10% of size 10mm, and 35% of 6mm down and Crusher sand, by cleaning and scarifying existing uneven road surface, including Plant & Machinery for mixing in Pug Mill, laying in uniform layer of 75mm (compactdthickness each) Compaction of the prepare surface with Vibrating roller, Spreading with Paver and rolling with power roller (10 TON)and binded together with lines, grades and cross-section as shown in the attached sketch or as directed by Tata Power Site Engineer for bindage materials, grit, stone dust must be used including providing all materials, tools equipment & barricadding etc.	180	Cum

6	CISE,PROV & LAYING BITUMINOUS MACADAM	CISE,Providing and laying 75mm Bituminous Macadam: Bituminous Macadam: Providing and laying of 75 mm thick compacted full grout using 57mm/50mm size hand broken metal on the prepared surface to a loose thickness of 200mm by rolling with 10 ten roller including spreading , consolidation so as to obtain a compacted thickness of 75mm and spreading hot bitumen 60/70 penetration of approved brand heated to a temperature of 204degree C (400deg. F)by means of pressure distributor at the rate of lbs/100sft covering such area with 12.5mmsize clean size stone metal at the rate of 2.1CM/100sqm and rolling the same with a 10 to 12 tone roller as directed by Tata Power engineer including providing all materials, tools equipment etc.	1500	M2
7	CISE,PROV & LAYIN ASPHALT CONCRETE	CISE, Providing and laying asphalt concrete (075kg/m2): Asphalt Concrete: Providing and laying with paver asphalt concrete comprising of a thin application of fine aggregate premixed with bituminous binder including cleaning wherever required and applying tack coat (bitumen 0.75KG/m2) Bitumen content 6.5% of mix and covered with stone dust so as to obtain the smooth finish including material tools etc.40mm thick Asphalt concrete laying by paver finisher and compaction by 10 to 12 Tone roller	1500	M2
8	THERMOPLASTIC f/CONCRETE ROADS	SUPPLY AND APPLICATION OF THERMOPLASTIC ROAD MARKING WITH HOT THERMOPLASTIC PAINT FOR CENTRAL LINE, EDGE LINE, ZEBRA CROSSING, STOP LINE ETC WITH MIN 2.50 MM THICK AND WITH MIN 10 % GLASS BEADS FOR REFLECTIVE EFFECT ON ASPHALTIC SURFACE OF MAKE ASIAN OR EQUIVALENT AS PER MORTH STANDARD, THERMOPLASTIC FOR CONCRETE ROADS	200	M2