

NOTICE INVITING TENDER-CC27SVP004

The Tata Power Company Limited Invites Tenders (Two-Part Bidding Process), from interested and eligible Vendors for the following Works required for its Transmission Receiving Stations.

A. Summary of the tendered packages:

Sr. No.	Description	Tender Reference no.	Bid Guarantee Fee / EMD (Rs.)	Tender Fee (Rs.)
1.	Repair works for underground & overhead water tank at Ambernath RSS	CC27SVP004	30,000 /-	2,000 /-

Interested bidder is strongly advised not to wait by above time and purchase the tender immediately to get the link for bid submission. This will enable them to communicate/raise queries against the subject tender in time.

For additional technical details and Pre-qualification criteria for the subject works please refer section C below.

B. Guidelines for Participating:

Interested and eligible vendors can participate by submitting the following up to 1500 hours on **Friday – 12th June 2026**.

1. Payment of non-refundable Tender Fee, as indicated in table above to be paid by direct deposit in following bank account

Beneficiary Name – The Tata Power Co.

Ltd. Bank Name – HDFC Bank Ltd.

Branch Name – Fort Branch, Mumbai

Address – Maneckji Wadia Building, Nanik Motwani Marg, Fort, Mumbai

400023. Branch Code – 60

Bank & Branch Code –

400240015 Account No –

00600110000763

Account type – CC

IFSC Code – HDFC0000060

2. Submission of duly signed and stamped Authorization Letter indicating name of authorized person, contact number and e-mail id (mandatory) on Vendor's letterhead. The letter shall also mandatorily include payment details of Tender fee and Tender Reference no **CC27SVP004**.

Authorization Letter along with proof of submission of tender fee should be e-mail to **Ms.Sujata Vishnu Patil** (sujatavishnu.patil@tatapower.com) and copy to **Mr. Vivek Mittal** (vivek.mittal@tatapower.com)

Note: - Once the above-mentioned documents are received, detailed RFP shall be issued through our e-tender system.

3. It is clarified that Bid Guarantee/EMD as mentioned in section "A" above, is not required to be submitted at this stage, and it will be required to be submitted in the form of Bank guarantee at the time of Bid Submission.

C. Pre-qualification Requirement Criteria:

Sr No	Parameter	Tata Power Requirement	Documents to be submitted by vendor to ascertain meeting of Pre-Qualification Requirement
1	2	3	4
(A)	Experience	<p>A) Bidder should have minimum 03 years of experience in the field of Rehabilitation works.</p> <p>B) Bidder shall have successfully completed rehabilitation works worth in last 03 financial years. (1) single purchase order of Rs 30 Lakhs OR (2) two purchase orders of Rs 20 Lakhs each</p> <p>In case the bidder has a previous association with any of Tata Power Group companies for similar products and services, the performance feedback of the bidder by the Tata Power Group companies shall only be considered for evaluation purpose, irrespective of performance certificates issued by any third organization</p>	<p>Work completion certificate / PO.</p> <p>Bidder to submit credentials for supporting the noted criteria. Owner has the right to reject the bid in case it is observed that the Bidder does not meet the relevant experience for the subject works</p>

(B)	Safety	<p>The said package being high risk service job .The Bidder will have to go through requirement Tata Power Skilled Development Institute (TPSDI) training for workmen, Certifications etc. 100% workmen shall be L1 & L2 and supervisor should be L3 trained & certified by Tata Power Skill Development Institute (TPSDI).</p> <p>Bidder should possess ISO-9001, ISO-14001 and OHSAS-18001 / ISO-45001 Certification or must give an undertaking for its willingness to obtain the same within 2 months of qualification for the work.</p>	<p>Bidder to submit credentials for supporting the noted criteria. Owner has the right to reject the bid in case it is observed that the Bidder does not meet the relevant experience for the subject works.</p> <p>List of TPSDI trained workmen OR undertaking for completion of training.</p>
(D)	Commercial Capability	<p>Average annual turnover of the Vendor for last two financial years shall not be less than INR 30 Lakhs.</p>	<p>Audited Profit & Loss statement along with UDIN No. to be attached.</p>

Note -

1) Tata Power reserves the right to review and approve / reject the Bidder based on Document Submission.

2) The Prequalification Criteria published along with the tender "In Section C.1 Pre- Qualification Criteria" is the total & complete pre-qualification requirement for the tender and shall prevail over any other/additional pre-qualification requirement mentioned elsewhere in the tender.

D. Bill of Quantities: (BOQ)

Price Bid Format_CC26SVP004_Repair works for Underground & Overhead water tank at Ambernath RSS			
Sr.no	Long Text.	UOM	Qty
1	CISE, Providing services for chipping of loose concrete from beams columns slabs & all other concrete surfaces to expose sound concrete beneath using light chisel & hammer & also preparing concrete surface to receive further treatment at all heights & disposing of the debris to the approved dumping ground of municipal corporation outside company premises etc. complete as per specifications and as directed by the engineer	M2	300
2	Corrosion Treatment:- Removing existing corrosion by means of mechanical wire brush on exposed surfaces of reinforcement, providing and applying Alkaline based Rust Converter RUST GUARD in single coat over the exposed rusted reinforcement as per the manufacturer specifications and instructions. Providing and applying two coats of Zinc rich Primer on re-inforcement, STEEL GUARD at all heights etc complete.	M2	300
3	Carefully opening the cracks in plaster, brick masonry & RCC member (Slab, beam& Columns etc.) cleaning the cracks with electrical air blower/water & filling the cracks with polymer modified cementations mortar in proportion 1:5:15 (i.e. Polymer: cement: well graded quartz sand by wt.& mixed with approximate 3L of water) including polymer bonding coat , curing work at all heights etc. complete. (Note: Width of cracks up to 6 mm and depth up to 20mm.)	M	300
4	Providing and injecting Grouting Ordinary cement with non-shrink materials of sika/BASF/equivalent approved brand Injecting Pressure(100 to 120 PSI) into crack / honey combed area for waterproofing the area .Rate shall include the cost of Drilling, fixing & Grouting nipples/nozzle of 12mm dia. aluminium/equivalent grouting multiperforated nipples up to 175mm to 200mm using `M Seal around the nipple depth in zig zag manner(Min. Distance 300mm) for junctions including cutting & finishing the area after completion of grouting at all heights etc. complete as directed by EIC.	KG	1800

5	Providing all the tools tackles, manpower and materials for laying IPS flooring in panels in m20 grade concrete as per line & level required, including finishing the surface and curing etc. Complete as directed with glass strips in panels of 2 x 2 feet for following thickness: average 50 mm thick	M2	275
6	CISE, Erection and dismantling of scaffolding, material: Erection & dismantling of steel scaffolding at all heights as per Tata power safety standard or as directed by EIC .Rates shall be inclusive of providing of steel scaffolding material with working platform ,toe guard ,railings ,ladders & safety net etc. as per safety norms of Tata power. Rate shall also include the cost of loading ,unloading , transportation of materials.	M3	2100
7	Providing all necessary tool tackles services etc for breaking plaster of all thicknesses as directed by the site-engineer and disposing of the debris to the approved dumping ground of municipal corporation outside company premises etc complete as per specifications and as directed by the engineer	M2	750
8	Providing all materials and carrying out sand faced plaster 20 mm thick in two layers (first layer of 14 mm and second layer of 6 mm thickness) with waterproofing compound. Including bands drip molds in cement mortar 1:4 at all heights but excluding scaffolding (the rates shall include provision for chicken mesh 230 mm wide at the junction of masonry with RCC).	M2	750
9	Ready to use thixotropic Polymer :- Clean and moisten the exposed surface of loose concrete. Applying one coat of WATER GUARD + CEMENT (1:1) as bonding agent and Providing & Applying Ready to Use REPAIR MORTAR in layer upto thickness 25mm to internal & external Structural members at all heights as per the manufacturer specification ect complete.	M2	150
10	Providing 12mm. Thick smooth finished cement plaster in cement mortar (1:3) for RCC, brick work, sides and undersides of the slabs, canopies, chajjas with drip molding at all heights etc. excluding scaffolding, curing, etc. Complete as per specifications.	M2	150
11	Providing and applying emulsion primer along with anti-fungus treatment as per requirement including opening up of crevices, cracks & holes and making v grooves, and filling up with approved quality of crack filler and making the surfaces smooth and finishing with two coats of approved quality paint at all heights with acrylic emulsion	M2	500

	paint (external quality) of first quality and of approved manufacturers and approved shades.		
12	Providing and applying two coats of synthetic enamel paint of approved make over one coat of primer on structural steel at all height, providing all material for process	M2	100