



**OWNER:
THE TATA POWER COMPANY LIMITED**

**TITLE OF WORK TO BE AWARDED:
OLA for Fabrication work at coal conveyors and associated structural work for CMD
and CLP at Trombay Thermal Power Generating Station for 2 years
ENQUIRY REFERENCE NO.: CC26JG025**

NOTICE INVITING EXPRESSION OF INTEREST (EOI) FOR-

OLA for Fabrication work at coal conveyors and associated structural work for CMD and CLP at Trombay Thermal Power Generating Station for 2 years

Enquiry reference no.: CC26JG025
Title of Work: OLA for Fabrication work at coal conveyors and associated structural work for CMD and CLP at Trombay Thermal Power Generating Station for 2 years
Type of Bidding: E-tendering (through Ariba online portal) / Two Part (Technical and Price bids under separate envelopes)
Contact Details: All communication including EOI submission shall be addressed to following officer/s: Ms. Juhi Gaur Email: juhigaur@tatapower.com Copy of all communications shall be marked to (Cc): Mr. Kailas Surve Email: ksurve@tatapower.com

The Tata Power Company Limited (“Project Manager”) on behalf of M/s Tata Power Company Limited (“Owner”) invites Expression of Interest (EOI) from interested parties for the Two-Part e-Tendering Process of following Relevant Work Package:

Plant Details	Tender Fee	Bid Security	Estimated package value for Two years.
The Tata Power Company Limited, Trombay Thermal Power plant Chembur	INR 2000/- (INR Two Thousand Only) To be submitted along with EOI.	INR 2,00,000/- (INR Two Lakh only). Bid Security to be submitted as a Bank Guarantee at the BID stage (and not with EOI)	Approx. 2.00 Crores

Table 1

1. INTRODUCTION:

The Tata Power Company Limited (TPC) is among the largest private sector Power Utility companies in India with presence in Generation, Transmission and Distribution of Power through conventional and renewable sources.

The tendering/ procurement activities for this Project are being managed from Tata Power’s following Office:

The Tata Power Company Limited,
Trombay Thermal Power Station,
Corporate Contracts,
5th Floor, Station B, Chembur-Mahul,
Mumbai 400074, Maharashtra, India.

2. BRIEF SCOPE OF WORK:

This Notice is for inviting Expression of Interest for various fabrication works on as and when required basis at Trombay plant and housing colony.

Detailed Scope of Work for this Contract shall be provided in the Tender / RFQ document to all potential buyers submitting the valid EOI with due tender fees.

3. TENDER FEE & TIMELINES:

a) Interested parties meeting the "Bidder Pre-Qualification Requirements" specified under point no. 4 in this document can request tender document and participate in the bidding process by submitting the Expression of Interest (EOI) Letter along with the Tender Fee Payment Details to the contact details mentioned below not later than deadline specified below. Request for extension of EOI submission date will be not be entertained.

b) Interested bidders should submit the Expression of Interest (EOI) letter and tender fee payment details to below mentioned email addresses:

- Mails shall be addressed to (To): juhigaur@tatapower.com
- Must Mark a copy to (Cc): ksurve@tatapower.com

EOI / requests without complete information and communication as above within deadline shall be liable to be rejected and will not be considered further.

c) Tender Fee, as indicated in the Table1 above may be paid through **NEFT** as per details for payment of Tender Fee given in Table2 below:

Table 2

Details for payment of Tender Fee:	
Bank details for submitting Tender fees through bank transfer / NEFT:	Beneficiary Name: The Tata Power Company Limited Bank Name: HDFC Bank A/c no: 00600110000763 IFS Code: HDFC0000060 A/c type: CC Branch Name & Address: HDFC Bank, Maneckji Wadia Building, Nanik Motwani Marg, Fort, Mumbai 400023
Deadline for tender fee payment and submission of EOI:	20th May 2025

d) Expression of Interest letter to be submitted along with tender fee payment details should include the following details:

- A covering letter duly stamped and signed by an authorized signatory clearly indicating the Tender Reference number and your EOI to participate in the tendering process.
- Tender fee payment details / reference no (ensure that tender fee is received by us within specified deadline)
- Bidder to indicate authorized person name, contact number and e-mail id (mandatory) of the person to whom RFQ / tender and all other communications to be addressed for this tender.

e) Detailed Bid Document (also referred as RFQ) shall be issued through Tata Power e-tender portal (Ariba System) only to the parties submitting a valid EOI as per terms mentioned in this document.

4. BIDDER PRE-QUALIFICATION REQUIREMENTS:

Interested parties to note that Bidder shall be required to fulfill the following bidder pre-qualification requirement / criteria in order to qualify for the subject work. Bidder will be required to submit relevant supporting documents to demonstrate their qualification during the bid submission stage against Tender document / RFQ and bidders not found meeting the pre-qualification requirements given below will be disqualified from the tender.

4.1 TECHNICAL REQUIREMENT:

BIDDER PRE-QUALIFICATION REQUIREMENTS:

Interested parties to note that Bidder shall be required to fulfill the following bidder pre-qualification requirement / criteria in order to qualify for the subject work. Bidder will be required to submit relevant supporting documents to demonstrate their qualification during the bid submission stage against Tender document / RFQ and bidders not found meeting the pre-qualification requirements given below will be disqualified from the tender.

Technical requirement:

1. Bidder should have minimum 3 years of experience in the field Structural repair work and rehabilitation and Fabrication Works (Attach Certificates / related supporting documents)
2. Bidder should provide minimum two reference of having contract value Rs. 25 Lakhs (Indian Rupees Twenty five Lakhs) for successfully Structural repair work & Fabrication Works / Sheet replacement work/ OLA for fabrication work in last five years. (Attach Certificate of Experience and Satisfactory Completion of work awarded from concerned Establishments / Companies)
3. Bidder should furnish List of Clients for whom they have done Structural repair work & Fabrication Works / Sheet replacement work/ OLA for fabrication work during the last three

financial years i.e., FY 2022-23, FY 2023-24, and FY 2024-25 as per nature of contract. (Attach Certificates from concerned)

4. Bidder / Tenderer should preferably have ISO 9001 / ISO 14001 certification or must give an undertaking for its willingness to obtain the same within 1 months of qualification for the work.

4.3 FINANCIAL REQUIREMENT:

1. Bidder / Tenderer should have minimum Average Annual Turn-over of Rs. 50 lakhs (Indian Rupees Fifty Lakhs) during the last three financial years. **(Attach Certificate from Chartered Accountant in this regard)**

5. BID SECURITY / EMD:

Interested parties to note that Bidder will be required to furnish a Bid Security along with their Bid, in the format prescribed in Bid Document **in the form of EMD**, for an amount as defined in the covering page of this notice document. Bids not accompanied by an acceptable Bid Security shall be rejected by the Owner as being non-responsive and returned to the bidder without being opened.

Interested parties to note that Bid Security is not required with the EOI and it is required to be submitted with the Bid only during Bid Submission stage, once RFQ is released to the interested parties that have submitted a valid EOI.

6. BIDDING PROCESS:

Detailed Bid Document (also referred as RFQ) shall be issued through Tata Power e-tender portal (Ariba System) only to the parties that submitted a valid EOI as per terms mentioned in this document.

Bidder to note that commercials for subject tender may be conducted through e-auction. Detailed bidding and auction process shall be detailed in the RFQ / tender document.

THE TATA POWER COMPANY LTD
CORPORATE CONTRACTS

CC26JG025 - OLA for Fabrication work at coal conveyors and associated structural work for CMD and CLP at Trombay Thermal Power Generating Station for 2 years

Schedule of Quantity

Sr. No.	Item Code	Detailed description	Qty	Unit
1	4191228	DISMNT STRUCTURAL STL&RETURN TO STORES"DISMNT STRUCTURAL STL&RETURN TO STORES :-Dismantling and neatly stacking structural steel work of walkway Supports, beams, columns, chequered plate floorings, treads, risers, stringers, bracings, runners etc. at all heights including providing all accessories complete as directed. Contractor shall use his own welding set, gas cutting set, gas, electrodes, drill machine and other accessories, required for carrying out the entire work. The rate shall include returning the dismantled members to TEC stores at division etc. complete as directed. Rate is exclusive Scaffolding Work.##	25	MT
2	4138583	DISMNT & STACK AC/ CGI SHEETS SERVICE TYPE: DISMANTLING AND STACKING OF AC/CGI SHEETS, BREAKING OF ALL THE FOLLOWING WORKS INCLUDING CUTTING OF REINFORCEMENT IN RCC STRUCTURES, MAINTAINING HOUSEKEEPING, DISPOSAL OF DEBRIS WITHIN 100 M USING PNEUMATIC EQUIPMENTS ETC, HAVE TO RETURN ALL USABLE ITEM BACK TO TATA POWER'S STORES BY PREPARING RFW COMPLETE INCLUDING TRANSPORTATION AND DISPOSAL OF MATERIAL & AS PER INSTRUCTIONS OF ENGINEER IN CHARGE.	300	M2
3	4138596	P&F SHEET 0.50 THICK, ZNC AL ALOY,550MPA SERVICE TYPE: PROVIDING AND FIXING OF PRE-COATED COLOUR GALVANUM SHEETS AT ALL LOCATIONS AND LEVELS EXCLUDING SCAFFOLDING, COATING: ZINC ALUMINUM ALLOY, MINIMUM YIELD STRENGTH: 550 MPA, PLACING OR EQUIVALENT OF 0.50MM TOTAL COATED THICKNESS TO MATCH EXISTING SHADE (BARE GALVALUME THICKNESS 0.32MM), TROUGH TYPE, ZINC ALUMINUM COATING NOT LESS THEN 150G/SQM, MS HIGH TENSILE SHEET HAVING INCLUDING SILICON MODIFIED POLYESTER (SMP) COATING OF DFT 20 MICRONS OVER 5 MICRONS PRIMER ON EXPOSED SURFACE OF SHEETING AND SMP COATING OF DFT 5 MICRONS OVER 5 MICRON PRIMER ON INTERNAL SURFACE OF SHEETING AND INCLUDING ALL CONNECTIONS AND MATCHING FIXTURES AND ACCESSORIES SUCH AS BUT NOT LIMITED TO J OR L BOLTS AND HOOKS (8 MM, POLYMER COATED), NUTS WITH POLYMER WASHERS, SELF TAPPING SCREWS, PROTECTIVE POLYMER CAP OF MATCHING COLOR FOR BOLTS ETC.COMPLETE AS PER MANUFACTURERS RECOMMENDATIONS FOR SHEETING FOR ROOF/SIDE ETC.GREEN COLOURED SHEETS ON ROOF AND BLUE COLOURED SHEETS ON CLADDING, ANY OTHER MATERIAL WHATEVER REQUIRED FOR SUCCESSFULL INSTALLATION OF SHEETS & AS PER INSTRUCTIONS OF ENGINEER IN-CHARGE. NOTE: SAME RATES SHALL BE APPLICABLE FOR RMP COATED	500	M2
4	4103725	CISE, 6 mm fillet welding for strengthen Providing all tools, tackles hoisting / lifting devices, equipments etc. at all heights including consumables like Gas, electrodes etc. andcarrying out miscellaneous 6 mm fillet welding wherever required in Coal Conveying structures, at allelevation etc complete as directed. Since the structure is bolted this weldingis additional, for strengthening of the existing structure. This welding ispayable only where the existing structural members are not to be replaced. Thisitem is to be operated if it is recommended by TPC's consultant or by TPC. Priorapproval of TPC to be obtained before execution of this item. (No payment forfabrication / erection will be made wherever this item is operated.)	500	M
5	4230973	304 Stainless Steel for seal plate of c Providing all your tools and tackles for fabricating and erecting structural steel work for members of Conveyor galleries, trestles, trusses, purlins, beams,columns, treads, risers, stringers, bracings, runners etc. at all heights including welding and gas cutting, drilling of holes etc including requisite temporary supports etc complete, as directed. Contractor shall use his own welding set, gas cutting set, gas, electrodes,drill machine and other accessories, required for carrying out the entire work. The rate shall include supply and fixing of MS bolts, and nuts, and washers and applying one coat of Shalimar or any other approved make red oxide ZincPhosphate (primer) paint if required to all the exposed surfaces of steel for Light Sections upto 11.5 Kg/M. M.S. Bolts will be used for alignment only. All other junctions, gusset plates, bracing etc. should be welded. (Steel will be provided by Contractor of approved make, with valid test certificate, No rerolled sections, as directed by Engineer).Same as above but 304 Stainless Steel for seal plate of coal conveyor instead of M.S plate .#	10	MT
6	4138581	PRVD & FIX ANCHR FASTNR,UPTO 16MM, 100MM SERVICE TYPE: PROVIDING AND FIXING OF ANCHOR FASTENERS, DIAMETER: UPTO 16 MM, LENGTH: 100 MM, APPROVED MAKE, INCLUDING DRILLING THE HOLES, PROVISION OF TOOL & TACKLES ETC, ALL MATERIAL WHATEVER REQUIRED FOR SUCCESSFUL COMPLETION OF WORK & AS PER INSTRUCTIONS OF ENGINEER IN CHARGE. NOTE- AGENCY NEEDS TO PROVIDE MTC FOR THE ANCHOR FASTENER.	200	EA

THE TATA POWER COMPANY LTD
CORPORATE CONTRACTS

CC26JG025 - OLA for Fabrication work at coal conveyors and associated structural work for CMD and CLP at Trombay Thermal Power Generating Station for 2 years

Schedule of Quantity

Sr. No.	Item Code	Detailed description	Qty	Unit
7	4191231	<p>SPLY,FAB&EREC STRUCTURAL STL,CONTRACTOR</p> <p>SPLY,FAB&EREC STRUCTURAL STL,CONTRACTOR-Fabricating and erecting structural steel work for roof trusses, purlins, beams, columns, chequered plate flooring, treads, risers, stringers, bracings, runners etc. at all heights including welding and gas cutting, drilling of holes etc. complete as directed. Contractor shall use his own welding set, gas cutting set, gas, electrodes, drill machine and other accessories, required for carrying out the entire work. The rate shall include supply and fixing of MS bolts, and nuts, and washers and applying one coat of Shalimar or any other approved make red oxide (primer) paint to all the exposed surfaces of steel. (Steel will be provided by Contractor of approved make with valid test certificates, No rerolled sections, as directed by Engineer. Contractor to get the material checked by TPC representative before use).work at all height excluding scaffolding. Excluding MS bolts, and nuts, and washers of deck plate . Deck plate MS bolts, and nuts, and washers will paid separately .</p>	40	MT
8	4138624	<p>HIRING WELDING SET</p> <p>SERVICE TYPE: HIRING WELDING SET WITH WELDER, HIRING WELDING SET IN 8.00 HR SHIFT ON AS & WHEN REQUIRED BASIS WITH ALL REQUIRED TOOLS & TACKLES, WELDER, ALL CONSUMABLES (DA,OXYGEN) FOR REGULAR MAINTENANCE ACTIVITIES WITH ALL REQUIRED SAFETY PRECAUTIONS ETC COMPLETE AS DIRECTED BY ENGINEER INCHARGE.</p>	10	SET
9	4138625	<p>HIRING GAS CUTTING SET</p> <p>SERVICE TYPE: HIRING GAS CUTTING SET WITH GAS CUTTER, HIRING GAS CUTTING SET IN 8.00 HR SHIFT ON AS & WHEN REQUIRED BASIS WITH ALL REQUIRED TOOLS & TACKLES, GAS CUTTER, ALL CONSUMABLES (DA,OXYGEN) FOR REGULAR MAINTENANCE ACTIVITIES WITH ALL REQUIRED SAFETY PRECAUTIONS ETC COMPLETE AS DIRECTED BY ENGINEER INCHARGE.</p>	10	SET
10	4103711	<p>M.S. Bolts (12 mm Dia. 50 mm long</p> <p>Providing all tools, tackles, hoisting / lifting devices and equipments including consumables like Gas, electrodes etc. and replacing of damaged / corroded M.S. Bolts (12 mm Dia. 50 mm long) and Nut, washers, check nuts etc, wherever required with prior approval by TPC, complete as directed. (Required size, & of approved quality and ISI marked bolt procurement is in contractor's scope.).</p> <p>Deck plate MS bolts, and nuts, and washers will be paid in this item .</p>	500	EA
11	4064063	<p>SPLY,FAB&EREC STRUCTURAL STL,TATA POWER</p> <p>Providing all your tools and tackles for fabricating and erecting structuralsteel work for members of Conveyor galleries, trestles, trusses, purlins, beams,columns, treads, risers, stringers, bracings, runners etc. at all heightsincluding welding and gas cutting, drilling of holes etc including requisitetemporary supports etc complete, as directed.Contractor shall use his own welding set, gas cutting set, gas, electrodes,drill machine and other accessories, required for carrying out the entire work.The rate shall include supply and fixing of MS bolts, and nuts, and washers andapplying one coat of Shalimar or any other approved make red oxide ZincPhosphate (primer) paint to all the exposed surfaces of steel. M.S. Bolts will be used for alignment only. All otherjunctions, gusset plates, bracing etc. should be welded. STEEL SUPPLIEDBY TATA POWER in Plant premises.</p>	5	MT