

## NOTICE INVITING TENDER

**The Tata Power Company Limited Invites Tenders** (Two-Part Bidding Process), from interested and eligible Vendors for the following Works required for its various Transmission Receiving Stations.

### **A. Summary of the tendered packages:**

<b>Tender Enquiry No.</b>	<b>Work Description</b>	<b>EMD (Rs.)</b>	<b>Tender Participation Fee (Rs.)</b>	<b>Last date and time for Payment of Tender Participation Fee*</b>
CC26NK027	SITC of Air Handling Unit (AHU) at Tata Power Transmission RSS.	1,00,000/-	Rs. 2,000/-	1500 Hrs. 26 <sup>th</sup> September 2025

**Interested bidder is strongly advised not to wait by above time and purchase the tender immediately to get the link for bid submission. This will enable them to communicate/raise queries against the subject tender in time.**

For additional technical details and Pre-qualification criteria for the subject works please refer section C below.

### **B. Guidelines for Participating:**

Interested and eligible vendors can participate by submitting the following up to 1500 hours on **Friday – 26<sup>th</sup> September 2025**.

1. Payment of non-refundable Tender Fee, as indicated in table above to be paid by direct deposit in following bank account

Beneficiary Name – The Tata Power Co. Ltd.

Bank Name – HDFC Bank Ltd.

Branch Name – Fort Branch, Mumbai

Address – Maneckji Wadia Building, Nanik Motwani Marg, Fort, Mumbai 400023.

Branch Code – 60

Bank & Branch Code – 400240015

Account No – 00600110000763

Account type – CC

IFSC Code – HDFC0000060

2. Submission of duly signed and stamped Authorization Letter indicating name of authorized person, contact number and e-mail id (mandatory) on Vendor's letterhead. The letter shall also mandatorily include payment details of Tender fee and Tender Reference no **CC26NK027**.

Authorization Letter along with proof of submission of tender fee should be e-mail to **Mr. Nithishkumar Kuppusami** ([n.kuppusami@tatapower.com](mailto:n.kuppusami@tatapower.com)) and copy to **Ms. Vaishali Kachare** ([vaishali.Kachare@tatapower.com](mailto:vaishali.Kachare@tatapower.com))

**Note:** - Once the above-mentioned documents are received, detailed RFP shall be issued through our e-tender system.

3. It is clarified that Bid Guarantee/EMD as mentioned in section “A” above, is not required to be submitted at this stage, and it will be required to be submitted in the form of Bank guarantee at the time of Bid Submission.

**C. Addition technical details: Prequalification Criteria (Technical & Commercial):**

Pre-qualification Requirement Criteria			
S No	Parameter	Tata Power Requirement	Documents To be submitted by Vendor to ascertain meeting of Pre-qualification requirement
1	Infrastructure	<p>i. Bidder can either be OEM or a Channel Partner of AC machine manufacturer, having manufacturing and testing facility in India. Either OEM of AHU (Air Handling Unit) or a Channel partner can be the Lead Bidder. The overall liability of execution of the contract shall lie with OEM / channel partner.</p> <p>ii. The bidder shall confirm that design, manufacturing process and service support of offered equipment in Indian facility are identical to that in Bidder's parent factory without any change and approved by the parent.</p> <p>iii. Bidder must have support service Centre in India to cater after sales services.</p>	<p>Self-undertaking to be submitted in this regard. Tata Power reserves the right to inspect the said manufacturing facility as a proof of compliance to this parameter. In case of Channel Partner participates, then the Authorization undertaking on OEM's letterhead shall be submitted by channel partner for the respective System</p>
2	Supply and Experience	<p>i. The bidder shall have carried out design, engineering, manufacturing, supply and supervision of installation, testing and commissioning of type tested products for a minimum 5 projects having min capacity of 50TR and above.</p> <p>ii. The system supplied should have been in satisfactory commercial operation for a minimum period of 05 years as on scheduled date of the bid opening.</p> <p>iii. From amongst the above projects, minimum 3 projects should have been in commercial operation for minimum period of 2 years.</p> <p>iv. In case of channel partner, the bidder must share the Manufactures Authorization certificate specific to this tender and back-to-back support letter from OEMs for providing Comprehensive support and services of the OEM's product covered under the RFP for warranty period.</p> <p>Indian Subsidiaries of global companies having plant in India are also eligible to bid if the qualification requirements stated above are met independently or in combination with the parent company. Declaration from parent company needs to be submitted.</p> <p>In case the bidder has a previous association with Tata Power for similar products and services, the performance</p>	<p>Purchase Order / Work completion certificate. Supply List/Performance Certificates from the utilities / clients.</p> <p>Bidder to submit OEM MAF.</p> <p>Self-undertaking to be submitted in this regard. TATA Power reserves the right to inspect the said manufacturing facility as a proof of compliance to this parameter.</p> <p>Bidder to submit PO reference and Performance Certificates for the same.</p>

		<p>feedback for that bidder by Tata Power shall only be considered irrespective of performance certificates issued by any other organization.</p> <p>Technical performance, delivery timelines, service and support records of past executed projects in Tata Power will be considered for technical evaluation of bidder.</p>	
3	Type Test	<p>All offered equipment should have been successfully type tested at any of the internationally accredited laboratories in line with relevant standards. The bidder shall submit the Type test certificate of respective equipment and shall not be more than 5 years old.</p>	<p>Type Test Report.</p> <p>Undertaking that there is no change in design / material of construction (MOC) if Type Test Report older than 5 years but less than 10 years prior to date of bid opening has to be considered (if applicable)</p> <p>Undertaking that type test shall be carried out for the offered equipment / material from NABL / International Accredited Lab without any cost implication to the owner and the Type Test reports shall be submitted before dispatch of the equipment / material, in case type test reports furnished are not for the quoted equipment / material but for the equipment / material with higher voltage class and/or different capacity, (if applicable)</p>
4	Commercial Capability	<p>Average Annual turnover of the bidder for last three years shall not be less than INR 1.0 Crore.</p>	<p>Copy of audited Balance Sheet and P&amp;L Account to be submitted in this regard.</p>

**Note:** Above Pre-qualification details need not be submitted at this stage. These shall be required to be submitted along with bid submission. At this stage, Interested Vendors who fulfill above criteria need to participate in tender by paying tender fee and submitting authorization letter as detailed in section "B" above.

**D. Estimated Quantity: (BOM)**

**i) Trombay RSS:**

Sr.	Description	Qty	Unit	Supply Unit Price	Supply Total Unit Price	Installation Unit Price	Installation Total Unit Price
1.0	Supply, Installation, Testing and Commissioning of 8000 CFM double skin Floor/Loft mounted air handling unit with 0.63 mm thick inner and 0.63 mm thick outer skin with PUF insulation, DIDW fan, Motor, vee belt, pulley, 10 + 5 micron air filters	2	Nos.		-		-
2.0	Supply and Installation of AHU starter panel, AHU start / stop push buttons, RYB indicator, Voltmeter/Ammeter, contactors, MCB, interlocking of AHU blower motor with NO/NC for fire operation.	2	Sets		-		-
3.0	Supply and Installation of Canvass Connections	1	Nos.		-		-
4.0	Supply and Installation of 16 g GI Volume control damper	1	SqMt		-		-
5.0	Supply and Installation of Fire Damper with actuator and control panel	1	SqMt		-		-
6.0	Supply and Installation of Fire Damper actuator and control panel	2	Nos.		-		-
7.0	Supply and Installation of 22 G GI Ducting	50	SqMt		-		-
8.0	Supply and Installation of 24 G GI Ducting	150	SqMt		-		-
9.0	Supply and Installation of MS supports for ducting	120	Kg		-		-
10.0	Supply and Installation of 10 mm thick Armasound acoustic insulation	60	SqMt		-		-
11.0	Supply and Installation of 13 mm thick Armaflex Nitrile rubber insulation	150	SqMt		-		-
12.0	Supply and Installation of rectangular aluminium grillers with collar damper	1	SqMt		-		-
13.0	Supply and Installation of Backdraft dampers	3	SqMt		-		-
14.0	Supply and Installation of 4c x 6 Sqmm copper conductor hard PVC armoured cable from AHU control panel to AHU	50	RMT		-		-
15.0	Supply and Installation of 2c x 1.5 Sqmm copper conductor hard PVC armoured cable from AHU control panel to FIRE DAMPER	50	RMT		-		-
	Total Price			Rs.	-		-
	SGST @ 9%				-		-
	CGST @ 9%				-		-
	Total Price with GST				-		-

Total Supply +  
Service Part

-

ii) **BKC RSS:**

Sr.	Description	Qty	Unit	Supply Unit Price	Supply Total Unit Price	Installation Unit Price	Installation Total Unit Price
1.0	Supply, Installation, Testing and Commissioning of 8000 CFM double skin Floor/Loft mounted air handling unit with 0.63 mm thick inner and 0.63 mm thick outer skin with PUF insulation, DIDW fan, Motor, vee belt, pulley, 10 + 5 micron air filters	2	Nos.		-		-
2.0	Supply and Installation of AHU starter panel , AHU start / stop push buttons, RYB indicator, Voltmeter/Ammeter, contactors, MCB, interlocking of AHU blower motor with NO/NC for fire operation.	2	Sets		-		-
3.0	Supply and Installation of Canvass Connections	1	Nos.		-		-
4.0	Supply and Installation of 16 g GI Volume control damper	1	SqMt		-		-
5.0	Supply and Installation of Fire Damper with actuator and control panel	1	SqMt		-		-
6.0	Supply and Installation of Fire Damper actuator and control panel	2	Nos.		-		-
7.0	Supply and Installation of 22 G GI Ducting	70	SqMt		-		-
8.0	Supply and Installation of 24 G GI Ducting	160	SqMt		-		-
9.0	Supply and Installation of MS supports for ducting	520	Kg		-		-
10.0	Supply and Installation of 10 mm thick Armasound acoustic insulation	60	SqMt		-		-
11.0	Supply and Installation of 13 mm thick Armaflex Nitrile rubber insulation	170	SqMt		-		-
12.0	Supply and Installation of rectangular aluminium grillers with collar damper	1	SqMt		-		-
13.0	Supply and Installation of Backdraft dampers	3	SqMt		-		-
14.0	Supply and Installation of 4c x 6 Sqmm copper conductor hard PVC armoured cable from AHU control panel to AHU	50	RMT		-		-
15.0	Supply and Installation of 2c x 1.5 Sqmm copper conductor hard PVC armoured cable from AHU control panel to FIRE DAMPER	50	RMT		-		-
	Total Price			Rs.	-		-
	SGST @ 9%				-		-
	CGST @ 9%				-		-
	Total Price with GST				-		-

Total Supply +  
Service Part

-

## iii) Malad RSS

Sr.	Description	Qty	Unit	Supply Unit Price	Supply Total Unit Price	Installation Unit Price	Installation Total Unit Price
1.0	Supply, Installation, Testing and Commissioning of 8000 CFM double skin Floor/Loft mounted air handling unit with 0.63 mm thick inner and 0.63 mm thick outer skin with PUF insulation, DIDW fan, Motor, vee belt, pulley, 10 + 5 micron air filters	2	Nos.		-		-
2.0	Supply and Installation of AHU starter panel , AHU start / stop push buttons, RYB indicator, Voltmeter/Ammeter, contactors, MCB, interlocking of AHU blower motor with NO/NC for fire operation.	2	Sets		-		-
3.0	Supply and Installation of Canvass Connections	1	Nos.		-		-
4.0	Supply and Installation of 16 g GI Volume control damper	1	SqMt		-		-
5.0	Supply and Installation of Fire Damper with actuator and control panel	1	SqMt		-		-
6.0	Supply and Installation of Fire Damper actuator and control panel	2	Nos.		-		-
7.0	Supply and Installation of 22 G GI Ducting	70	SqMt		-		-
8.0	Supply and Installation of 24 G GI Ducting	180	SqMt		-		-
9.0	Supply and Installation of MS supports for ducting	600	Kg		-		-
10.0	Supply and Installation of 10 mm thick Armasound accoustic insulation	80	SqMt		-		-
11.0	Supply and Installation of 13 mm thick Armaflex Nitrile rubber insulation	180	SqMt		-		-
12.0	Supply and Installation of rectangular aluminium grillers with collar damper	1	SqMt		-		-
13.0	Supply and Installation of Backdraft dampers	3	SqMt		-		-
14.0	Supply and Installation of 4c x 6 Sqmm copper conductor hard PVC armoured cable from AHU control panel to AHU	50	RMT		-		-
15.0	Supply and Installation of 2c x 1.5 Sqmm copper conductor hard PVC armoured cable from AHU control panel to FIRE DAMPER	50	RMT		-		-
	Total Price			Rs.	-		-
	SGST @ 9%				-		-
	CGST @ 9%				-		-
	Total Price with GST				-		-

Total Supply + Service Part	-
-----------------------------	---

iv) Saki RSS

Sr.	Description	Qty	Unit	Supply Unit Price	Supply Total Unit Price	Installation Unit Price	Installation Total Unit Price
1.0	Supply, Installation, Testing and Commissioning of 8000 CFM double skin Floor/Loft mounted air handling unit with 0.63 mm thick inner and 0.63 mm thick outer skin with PUF insulation, DIDW fan, Motor, vee belt, pulley, 10 + 5 micron air filters	2	Nos.		-		-
2.0	Supply and Installation of AHU starter panel , AHU start / stop push buttons, RYB indicator, Voltmeter/Ammeter, contactors, MCB, interlocking of AHU blower motor with NO/NC for fire operation.	2	Sets		-		-
3.0	Supply and Installation of Canvass Connections	1	Nos.		-		-
4.0	Supply and Installation of 16 g GI Volume control damper	1	SqMt		-		-
5.0	Supply and Installation of Fire Damper with actuator and control panel	1	SqMt		-		-
6.0	Supply and Installation of Fire Damper actuator and control panel	2	Nos.		-		-
7.0	Supply and Installation of 22 G GI Ducting	50	SqMt		-		-
8.0	Supply and Installation of 24 G GI Ducting	150	SqMt		-		-
9.0	Supply and Installation of MS supports for ducting	120	Kg		-		-
10.0	Supply and Installation of 10 mm thick Armasound accoustic insulation	60	SqMt		-		-
11.0	Supply and Installation of 13 mm thick Armaflex Nitrile rubber insulation	150	SqMt		-		-
12.0	Supply and Installation of rectangular aluminium grillers with collar damper	1	SqMt		-		-
13.0	Supply and Installation of Backdraft dampers	3	SqMt		-		-
14.0	Supply and Installation of 4c x 6 Sqmm copper conductor hard PVC armoured cable from AHU control panel to AHU	50	RMT		-		-
15.0	Supply and Installation of 2c x 1.5 Sqmm copper conductor hard PVC armoured cable from AHU control panel to FIRE DAMPER	50	RMT		-		-

	Total Price			Rs.	-		-
	SGST @ 9%				-		-
	CGST @ 9%				-		-
	Total Price with GST				-		-

Total Supply + Service Part	-
-----------------------------	---

### V) Ambernath RSS

Sr.	Description	Qty	Unit	Supply Unit Price	Supply Total Unit Price	Installation Unit Price	Installation Total Unit Price
1.0	Supply, Installation, Testing and Commissioning of 8000 CFM double skin Floor/Loft mounted air handling unit with 0.63 mm thick inner and 0.63 mm thick outer skin with PUF insulation, DIDW fan, Motor, vee belt, pulley, 10 + 5 micron air filters	2	Nos.		-		-
2.0	Supply and Installation of AHU starter panel , AHU start / stop push buttons, RYB indicator, Voltmeter/Ammeter, contactors, MCB, interlocking of AHU blower motor with NO/NC for fire operation.	2	Sets		-		-
3.0	Supply and Installation of Canvass Connections	1	Nos.		-		-
4.0	Supply and Installation of 16 g GI Volume control damper	1	SqMt		-		-
5.0	Supply and Installation of Fire Damper with actuator and control panel	1	SqMt		-		-
6.0	Supply and Installation of Fire Damper actuator and control panel	2	Nos.		-		-
7.0	Supply and Installation of 22 G GI Ducting	80	SqMt		-		-
8.0	Supply and Installation of 24 G GI Ducting	200	SqMt		-		-
9.0	Supply and Installation of MS supports for ducting	750	Kg		-		-
10.0	Supply and Installation of 10 mm thick Armasound accoustic insulation	80	SqMt		-		-
11.0	Supply and Installation of 13 mm thick Armaflex Nitrile rubber insulation	200	SqMt		-		-
12.0	Supply and Installation of rectangular aluminium grillers with collar damper	1	SqMt		-		-
13.0	Supply and Installation of Backdraft dampers	3	SqMt		-		-

14.0	Supply and Installation of 4c x 6 Sqmm copper conductor hard PVC armoured cable from AHU control panel to AHU	50	RMT		-		-
15.0	Supply and Installation of 2c x 1.5 Sqmm copper conductor hard PVC armoured cable from AHU control panel to FIRE DAMPER	50	RMT		-		-
	Total Price			Rs.	-		-
	SGST @ 9%				-		-
	CGST @ 9%				-		-
	Total Price with GST				-		-

Total Supply + Service Part	-
-----------------------------	---

It may be noted that all future correspondence will be strictly done only with Interested Vendors who have done the above steps (As mentioned in section "B") in time with Authorized Person, and only through Tata Power E-Tender System.

---