

The Tata Power Company Limited Invites Tenders through E-Tender Two-Part bidding process from interested bidders (with manufacturing / assembling facilities in India) for the following package required for its Transmission Division: -

Procedure for Participating in Tender

| Tender Enquiry No. | Work Description | EMD (Rs.) | Tender Participation Fee (Rs.) | Last date & time for Payment of Tender Participation Fee* |
|---------------------------|---------------------------------|------------------|---------------------------------------|--|
| CC26SB007 | Rest Room at Badlapur 110KV GIS | 30,000 /- | 2,000/- | 15.00 Hrs. Tuesday, 9 th June 2026 |

*** Interested bidder is strongly advised not to wait by above time and purchase the tender immediately to get the link for bid submission. This will enable them to communicate/raise queries against the subject tender in time.**

Procedure for Participating in Tender. Following steps to be done before last date for purchase of tender,

1. Interested bidder to refer to the Section C: "Pre-Qualification Requirement" (PQR).
2. Eligible and Interested Bidder to submit duly signed and stamped letter on Bidder's letterhead indicating,
 - a. Tender Enquiry number.
 - b. Name of authorized person.
 - c. Contact number.
 - d. e-mail id.
 - e. Details of submission of Tender Participation Fee.
3. Non-Refundable Tender Participation Fee, as indicated in table above, to be submitted in the form of Direct deposit in the following bank account and submit the receipt along with a covering letter clearly indicating the Tender Reference number –

Beneficiary Name – The Tata Power Co. Ltd.

Bank Name – HDFC Bank Ltd.

Branch Name – Fort Branch, Mumbai

Address – Maneckji Wadia Building, Nanik Motwani Marg, Fort, Mumbai 400023.

Branch Code – 60

Bank & Branch Code – 400240015

Account No – 00600110000763

Account type – CC

IFSC Code – HDFC0000060

E-mail with necessary attachment of 1 and 2 above to be send to shrushti.bhujbal@tatapower.com & with copy to vivek.mittal@tatapower.com before “Last date and time for Payment of Tender Participation Fee”.

Interested bidders to submit Tender Participation Fee and Authorization Letter before Last date and time as indicated above after which link from Tata Power E-Tender system (Ariba) will be shared for further communication and bid submission.

Please note all future correspondence regarding the tender, bid submission, bid submission date extension, Pre-bid query etc will happen only will be strictly done only with interested bidders who have done the above steps in time with Authorized Person only through Tata Power E-Tender system (Ariba). User manual to guide the bidders to submit the bid through e-Tender system (Ariba) is also enclosed.

No e-mail or verbal correspondence will be responded. All communication will be done strictly with the bidder who have done the above steps (Payment of tender fee and submission of letter with requisite details) to participate in the Tender.

Also, it may be strictly noted that once date of “Last date and time for Payment of Tender Participation Fee” is lapsed no Bidder will be sent link from Tata Power E-Tender System (Ariba). Without this link vendor will not be able to participate in the tender. Any last moment request to participate in tender will not be acknowledged.

Any payment of Tender Participation Fee / EMD by Bidder who have not done the pre-requisite within stipulated timeline will not be refunded.

Also, all future corrigendum’s to the said tender, if any, will be informed on Tender section on website <https://www.tatapower.com>

Earnest Money Deposit (EMD) is not to be submitted now and is required at a later stage along with tender submission in the form of Bank Guarantee and NEFT.

| | | | | | |
|--|------------------------------|--|--|---|--|
| FORMAT C.1 | | | | | |
| Technical Pre-Qualification Requirement and Submission Format | | | | | |
| Tender No | | | | | |
| Package Name: Construction of Rest Room at Badlapur GIS | | | | | |
| Bidder : | | | | | |
| Note : Vendor Submission / claim without suitable backup document will not be accepted and Bid is Liable for Rejection | | | | | |
| This format duly filled in editable Excel format has to be uploaded as Bid Submission with all relevant Backup Document | | | | | |
| Package Description: Construction of Rest Room at Badlapur GIS | | | | | |
| Tender Reference No - | | | | | |
| Pre - Qualification Requirement (PQR) - Please note that the PQR is for information only and the documentary evidence to ascertain meeting of the | | | | | |
| To be filled up by Vendor | | | | | |
| Sr No | Parameter | Tata Power Requirement | Documents to be submitted by vendor to ascertain meeting of Pre-Qualification Requirement | Vendor Submission against Tata Power PQR Requirement | Documents submitted by Vendor to ascertain meeting of Pre-Qualification Requirement |
| 1 | 2 | 3 | 4 | 5 | 6 |
| (A) | Experience | <p>1) Bidder along with selected sub vendors should have minimum 05 years' experience of civil works such as Civil maintenance works, Concreting works, structural steel work, Plumbing, Electrical & Carpentry works. Selected sub vendors (if any) will be subject to approval of Tata Power.</p> <p>2) Bidder must have experience of successfully completing a minimum of following civil works during the past 5 years as on the date of bid opening.</p> <ul style="list-style-type: none"> •50 cubic meters of RCC / PCC works. •Structural Steel works of 10 MT •Brick works of 10 cubic meter <p>3. In case the bidder has a previous association with any of Tata Power Group companies for similar products and services, the performance feedback of the bidder by the Tata Power Group companies shall only be considered for evaluation purpose, irrespective of performance certificates issued by any third organization.</p> | <p>Work completion certificate / PO.</p> <p>Bidder to submit credentials for supporting the noted criteria. Owner has the right to reject the bid in case it is observed that the Bidder does not meet the relevant experience for the subject works</p> | | |
| (B) | Safety | <p>The Bidder will have to go through requirement Tata Power Skilled Development Institute (TPSDI) training for workmen, Certifications etc. 100% workmen shall be L1 & L2 and supervisor should be L3 trained & certified by Tata Power Skill Development Institute (TPSDI).</p> <p>Bidder should possess ISO-9001, ISO-14001 and OHSAS-18001 / ISO-45001 Certification or they should provide an undertaking that they will obtain these certifications for their organization if the work is awarded to them.</p> | <p>Bidder to submit credentials for supporting the noted criteria. Owner has the right to reject the bid in case it is observed that the Bidder does not meet the relevant experience for the subject works.</p> <p>List of TPSDI trained workmen OR undertaking for completion of training.</p> | | |
| (C) | Commercial Capability | Average Annual Turnover of the bidder for last three financial years shall not be less than INR 25 Lakhs. | Audited Profit & Loss statement along with UDIN No. to be attached. | | |

In case the bidder has a previous association with any of Tata Power Group companies for similar products and services, the performance feedback of the bidder by the Tata Power Group companies shall only be considered for evaluation purpose, irrespective of performance certificates issued by any third organization.

BOQ for Rest Room at Badlapur 110KV GIS PLOT

| Sr.NO | Description | QTY | Unit |
|-------|---|-----|------|
| 1 | EXC SOIL, ORD, 0-1.5M SERVICE TYPE: MANUAL EXCAVATION OF SOIL, TYPE: ORDINARY INCLUDING DEWATERING AND DEPOSITING/STACKING OF ALL MATERIALS, REMOVAL OF VEGETATION BACKFILLING WITH EXCAVATED EARTH/ AVAILABLE GOOD QUALITY EARTH IN LAYERS WELL WATERED COMPACTED TRANSPORTING OF SURPLUS EXCAVATED MATERIAL FOR BACKFILLING OR STACKING OR SPREADING OR REMOVAL OF SURPLUS EXCAVATED EARTH FROM 00 TO 1.5 MTRS DEEP WITHIN BASIC LEAD OF 100 MTR & AS PER INSTRUCTIONS OF ENGINEER INCHARGE. RATE DOES NOT INCLUDE PAYMENT AGAINST ROYALTY AND DEBRIS MANAGEMENT CELL CHARGES. | 120 | M3 |
| 2 | PRVD & LAY DRY RUBBLE SOLING, 230MM SERVICE TYPE: SPREADING AND LAYING OF DRY RUBBLE SOLING, THICKNESS: 230 MM, WITH RUBBLE STONES AS AVAILABLE AT SITE & INCLUDING FILLING GAPS WITH SMALL CHIPS RAMMING WITH HAND RAMMER ETC, COMPLETE AS PER INSTRUCTIONS OF ENGINEER IN CHARGE. Note :- RUBBLE STONE WILL BE PROVIDED FREE OF COST FROM WITHIN SITE/ PREMISES. | 100 | M3 |
| 3 | SPLY, PRVD & LAY RMC M15 SERVICE TYPE: SUPPLYING, PROVIDING AND LAYING IN POSITION PLAIN CEMENT CONCRETE, RMC M15 (USING MINIMUM CEMENT CONTENT: 300 KG/M3), LEVELLING COURSE/ FILL UNDER OR AROUND FOUNDATIONS PITS, SLABS ON GRADE, SUMPS, SOAK PITS AT ANY DEPTH WITH 40 MM DOWN GRADED COARSE AGGREGATES INCLUDING CURING, COMPACTING, DE-WATERING WHEREVER NECESSARY, PROVIDING MARINE PLYWOOD SHUTTERING FORM WORK WHEREVER REQUIRED & TO COMPLETE THE WORK IN ALL RESPECTS & AS PER INSTRCUTIONS OF ENGINEER INCHARGE. | 50 | M3 |
| 4 | Providing & fabricating & erecting all types of structural steel, work at all height incl. scaffolding (upto 2 meter), welding & gas cutting, drilling of hole, with own welding set, gas cutting set, gas, approved quality of welding electrode, drill machine, required for carrying out work, the rate shall include supply & fixing of mild steel bolt, nut, washer & applying one coat of primer & 2 coats of approved synthetic enamel paint to all the exposed surfaces of steel(excluding chequered plate) | 8 | MT |
| 5 | Providing, placing & fixing profile pre-color coated galvalume sheets or equivalent of 0.50mm total coat thickness to match existing shade (bare galvalume thickness 0.47mm), trough type, zinc aluminum alloy coated (zinc aluminum coating not less than 150g/sqm), MS high tensile sheet having minimum yield strength of 550mpa including silicon modified polyester (SMP) coating of DFT 20 microns over 5 microns primer on exposed surface of sheeting & SMP coating of DFT 5 microns over 5 micron primer | 350 | M2 |
| 6 | Providing & fixing HILTI make anchor fastener HST2-R 12 x 105, rate shall be inclusive of drilling & fixing | 150 | NOS |
| 8 | CISE,P/I Circular Ceiling Fan #1200mm CISE,Providing and installing of Circular ceiling fan 1200mm dia | 10 | EA |
| 9 | SPLY/INST T5 FITTING 18W TO 20W | 15 | EA |
| 12 | SPLY/LAY PVC INSLTD WIRE 1.5MM2 SERVICE TYPE: SUPPLY AND LAYING OF PVC INSULATED WIRE, SIZE: 1.5 MM2, 400/650 V GRADE PVC INSULATED WIRE (MULTISTRAND) THROUGH COUND UIT/CASING CAPPING (V PLAST, POLYCAB, POLY PLAST MAKE OR EQUIVALENT) | 150 | M |
| 13 | SPLY/LAY PVC INSLTD WIRE 2.5MM2 SERVICE TYPE: SUPPLY AND LAYING OF PVC INSULATED WIRE, SIZE: 2.5 MM2, 400/650 V GRADE PVC INSULATED WIRE (MULTISTRAND) THROUGH COUND UIT/CASING CAPPING (V PLAST, POLYCAB, POLY PLAST MAKE OR EQUIVALENT) | 150 | M |
| 14 | SPLY/FIX CSG/CAPNG 20MM PVC SERVICE TYPE: SUPPLY AND FIXING CASING AND CAPPING, SIZE: 20 MM, MATERIAL: PVC, WITH ACCESSORIES (MAKE MODI, PESTRO PLAST, LIGHT CRA FT OR EQUIVALENT) | 200 | M |
| 15 | P&F Switch Board - 12 Module "Providing and fixing modular Switch boards of Anchor (Roma series), Havells (Oro series), MK Switches (Ivory), Legrand (Myrius White) make required to cater all the light points, luminary, AC, TV sceens and all other electrical fixture. including concealed box, switch plate, switched etc alongwith all other accessories required to complete the job in all respect and as directed by engineer-in-charge. 12 modules | 2 | EA |
| | Prvov. & const. Brick masonry 230mm Providing all material and constructing brick masonry 230mm. Thick and above in cement mortar (1:5) using approved quality class 35 conforming to IS 1077 : 1992 table molded bricks, including scaffolding, curing, raking joints, etc. Complete as per specifications & drawings at all levels & locations. | 25 | M3 |
| | P/A external plaster 20mm | 240 | M2 |
| | P/F Outdoor type benches including trasportation at site. Design approved by the Enginner In-charge. | 10 | EA |



| | | | |
|--|---|---|-----|
| | <p>Fab & Erect Structural Steel Work Fab & erection all types of mild steel, work at all height including scaffolding (upto 2 m), welding and gas cutting, drilling of hole, contractor shall use his own welding set, gas cutting set, gas, welding electrode, drill machine, required for carrying out the entire work, the rate shall include supply and fixing of mild steel bolt, nut, washer and applying one coat approved primer & 2 coat of approved synthetic enamel paint to all the exposed surfaces of steel (excluding chequered plate)</p> | 4 | MT |
| | <p>Services for Hiring Tempo 30-50 Kms Prov. Services for material shifting of any type of material in Tata 407 or equivalent vehicle as approved by EIC, rate shall be quoted for one side travelling with max 4 workmen (for distance 30 to 50 kms)</p> | 4 | SFT |